

Psychosocial hazard management in regional volunteer involving organisations: A review of the current research landscape

Adam Nebbs

November 2022



Towards a
National Strategy
for Volunteering



About the Volunteering Research Papers Initiative

The Volunteering Research Papers aim to capture evidence on a wide range of topics related to volunteering and outline key insights for policy and practice. The Volunteering Research Papers are peer reviewed, and insights will directly inform the development of the National Strategy for Volunteering.

The Volunteering Research Papers are an initiative of the National Strategy for Volunteering Research Working Group.

For more information contact policy@volunteeringaustralia.org

Psychosocial hazard management in regional volunteer involving organisations: A review of the current research landscape

Adam Nebbs¹

Key Insights

- Volunteering provides important mental health and well-being outcomes for individuals. It has been found to increase individual life satisfaction, happiness, self-esteem, and psychological and social well-being and to lower psychological distress, depression, and anxiety.
- Volunteering research is focused on individual mental health and well-being outcomes, while the psychosocial hazards present in volunteer roles are largely ignored. Some research does discuss psychosocial hazards implicitly, with the most common psychosocial hazard included relating to high job demands.
- Volunteer involving organisations comprised solely of volunteers ('volunteer associations'), are excluded from work, health, and safety (WH&S) laws. Whilst the Model WH&S laws do not apply, Safe Work Australia does still encourage these organisations to comply with the Model WH&S laws.
- Safe Work Australia has created two guidance documents to assist organisations and volunteers to identify and manage physical and psychosocial hazards. Volunteer involving organisations need to be made aware of this guidance.
- Volunteer involving organisations in regional communities are especially at risk of being ill-informed on how to identify and manage psychosocial hazards. There is a shortage of allied health professionals, primary healthcare, and mental health practitioners in regional communities. Low digital literacy, poor digital infrastructure and a lack of council resources make providing mental health and psychosocial support to organisations challenging.

1 Menzies Institute for Medical Research, Adam.Nebbs@utas.edu.au

Introduction and findings

Almost one-third of Australians aged 15 and over participated in unpaid voluntary work through an organisation or group in 2019. This contributed an estimated 596.2 million hours to the community.² Volunteering thus provides a valuable service to a range of sectors that would otherwise need to be paid for or not be provided at all.³ This is specifically relevant to regional communities where volunteers provide essential services, such as ambulatory, fire and other critical emergency support.⁴ The reduction in volunteers since 2019, due to COVID-19 restrictions, has underscored the importance of volunteer roles to the health and prosperity of Australia.⁵ Volunteering also increases individual life satisfaction,⁶ happiness,⁷ self-esteem,⁸ psychological well-being,⁹ and social well-being.¹⁰ It has also been found to lower psychological distress,¹¹ depression,¹² and anxiety.¹³ Many studies, primarily using observational methods, have investigated the above individual factors in older adults,¹⁴ and to a much lesser extent middle aged adults,¹⁵ and adolescents.¹⁶

Given the favourable outcomes that volunteering provides to individuals, organisations, and communities, it is important to ensure volunteer roles are designed well. Volunteering contributes to community, social and economic capital, while providing opportunities for volunteers to make civic contributions to society.¹⁷ Volunteering also improves individual life satisfaction, an important variable that was lost for many Australians when COVID-19 restrictions made some volunteering roles untenable.¹⁸ To retain volunteers and create a sustainable and healthy volunteer workforce, it is important that researchers and social partners (workers, governments, and employers) work together to investigate

-
- 2 Australian Institute of Health and Welfare, 2021
 - 3 Lum & Lightfoot, 2005
 - 4 Davies, Holmes & Lockstone-Binney, 2018
 - 5 Biddle & Gray, 2021
 - 6 Thoits & Hewitt, 2001; Pavlova & Silvereisen, 2012; Van Willigen, 2000
 - 7 Thoits & Hewitt, 2001; Borgonovi, 2008; Greenfield & Marks, 2004
 - 8 Thoits & Hewitt, 2001; Brown, Hoyer & Nicholson, 2012; Piliavin & Siegl, 2015
 - 9 Lum & Lightfoot, 2005; Bradley, 2000; Russell, Nyame-Mensah, De Wit & Handy, 2018
 - 10 Keyes, 1998; Yeung, Zhang & Kim, 2017
 - 11 Jenkinson, Dickens, Jones, Thompson-Coon, Taylor, Rogers, Bamba, Lang & Richards, 2013; Tabassum, Mohan & Smith, 2016; Musick & Wilson, 2003
 - 12 Thoits & Hewitt, 2001; Jenkinson, Dickens, Jones, Thompson-Coon, Taylor, Rogers, Bamba, Lang & Richards, 2013; Musick & Wilson, 2003
 - 13 Chan, Chui, Cheung, Lum & Lu, 2021; Magnani & Zhu, 2018
 - 14 Jenkinson, Dickens, Jones, Thompson-Coon, Taylor, Rogers, Bamba, Lang & Richards, 2013; Morrow-Howell, 2010; Von Bonsdorff & Rantanen, 2011
 - 15 Tabassum, Mohan & Smith, 2016
 - 16 Van Willigen, 2000
 - 17 Lewig, Xanthopoulou, Bakker, Dollard, & Metzger, 2007
 - 18 Biddle & Gray, 2021

the psychological health and safety of volunteer roles.¹⁹ To do this, more research is needed that looks at psychosocial hazards and the impact that these have on volunteers. Psychosocial hazards are defined as “factors in the design or management of work that increase the risk of work-related stress and can lead to psychological or physical harm”.²⁰ For example, COVID-19 has reduced the number of volunteers available to organisations which may increase the role demands, and level of stress, of those volunteers that remain. Although the above definition speaks of physical and psychological hazards in the domain of paid work, these hazards are still applicable to volunteer roles.

Some existing volunteer research does briefly highlight the concern of psychosocial hazards, although most do not explicitly mention them in this way. A number of studies discuss the risk of role strain,²¹ over-volunteering,²² role overload,²³ and responsibility overwhelm,²⁴ which can all be related to the psychosocial hazard of high role demands.²⁵ Role demands where substantial and/or excessive physical, mental, and emotional effort is required to do the job are a common psychosocial hazard that can lead to psychological distress or adverse health outcomes if left unmanaged.²⁶ Research has shown that concepts related to high role demands can either negate the positive health outcomes that can come from volunteering or potentially be harmful to an individual’s mental health.²⁷ Other psychosocial hazards, that have been discussed in relation to volunteering roles, are poor management of organisational change, bullying, harassment and discrimination, work/life balance and low recognition and reward.²⁸ However, many other psychosocial hazards exist and need to be investigated to help inform the development of appropriate guidance and strategies for intervention and control.

Research has found that volunteering increases subjective well-being, happiness, and life satisfaction in unemployed people, particularly in older adults.²⁹ The latent deprivation model (LDM), proposed by Marie Jahoda, is one means of explaining why volunteering may improve subjective well-being, happiness, and life satisfaction.³⁰ According to the LDM, individuals who disengage with the workforce (including older adults who retire), lose valuable latent benefits such as social contact, collective purpose, and social status

19 Lewig, Xanthopoulou, Bakker, Dollard, & Metzger, 2007

20 WorkSafe Victoria, 2021

21 Lum & Lightfoot, 2005; Van Willigen; 2000; Morrow-Howell, 2010

22 Lewig, Xanthopoulou, Bakker, Dollard, & Metzger, 2007; Choi & Kim, 2011

23 Holmes & Lockstone-Binney, 2014

24 Van Willigen, 2000

25 WorkSafe Victoria, 2021

26 Government of Western Australia, 2022

27 Siegrist & Wahrendorf, 2009; Nazroo & Matthews, 2012

28 Holmes & Lockstone-Binney, 2014; Safe Work Australia, 2020a; Yang & Matz, 2022; Safe Work Australia, 2018

29 Greenfield & Marks, 2004; Kamerade & Bennett, 2018

30 Jahoda, 1981

which then negatively affects their psychological well-being.³¹ Volunteering gives these individuals a sense of purpose, social contact with colleagues and the opportunity to acquire power, prestige and meaning.³² However, volunteer roles are not necessarily better than unemployment if the role is not designed with psychosocial hazards in mind. For example, research looking at participants who moved from unemployment into poor quality work found that these individuals had a significant worsening in mental health outcomes.³³ No research has been done to date that looks at whether improved individual outcomes, such as subjective well-being, happiness, and life satisfaction stem from volunteer roles with high psychosocial quality. This association needs to be explored.

It is important to be aware of the difference between volunteer involving organisations³⁴ that are made up entirely of volunteers with no person employed to carry out any paid work (referred to as ‘volunteer associations’ in Safe Work Australia guidance) and those organisations that do employ paid workers as well as engage volunteers, and consider how this might impact psychosocial hazard identification and management. A common example of the former might be a local sporting club. Based on the Model WH&S laws in Australia, ‘volunteer associations’ are not covered, and are thus not compelled by law to provide psychologically healthy and safe work for their volunteers.³⁵ However, the provision of physically and psychologically healthy and safe work is still encouraged³⁶ and Safe Work Australia has provided some useful resources that organisations can use to help manage both physical and psychosocial hazards within their organisation.³⁷ However, awareness of these resources in volunteer involving organisations and particularly in ‘volunteer associations’ is likely to be low, which may create a barrier to implementation.

Given the importance of psychosocial hazard management for volunteer involving organisations, these organisations require appropriate guidance and resources around what to do and how. Under the Model WH&S laws in Australia, volunteer involving organisations (with at least one paid member of staff) have a duty to provide information, training and instruction that is necessary to protect all persons from risk to their health and safety arising from work.³⁸ This protection covers both the physical and psychological

31 *ibid*

32 Jahoda, 1981; Moen, Dempster-McClain & Williams, 1992

33 Butterworth, Leach, McManus & Stansfeld, 2013

34 The term ‘volunteer involving organisation’ refers to any organisation that engages volunteers (those with or without paid staff). See <https://www.volunteeringaustralia.org/wp-content/uploads/Common-Languages-Guide-2022-FINAL.pdf>

35 Safe Work Australia, 2020a

36 *ibid*

37 Safe Work Australia, 2020b

38 Safe Work Australia, 2020a

health and safety of volunteers.³⁹ Volunteers that are satisfied with their training and organisational support also report more mental health benefits.⁴⁰ Although, the provision of physically and psychologically safe work is particularly relevant to those volunteer involving organisations that have obligations under the Model WH&S laws, the provision of training and guidance to ‘volunteer associations’ is still important so as to ensure psychosocial hazards are identified and appropriately managed. Research is needed to understand whether ‘volunteer associations’ are aware of how to identify psychosocial hazards and appropriate ways to manage and control them.

The prevalence of volunteering in regional communities has previously been found to be far higher than the national average.⁴¹ However, the COVID-19 pandemic did cause many Australians to stop volunteering, many of whom have not returned since.⁴² The reduction in volunteering, particularly for regional communities, is likely to see an increase in high role demands for those who continue to volunteer.⁴³ If left unmanaged, high role demands may lead to adverse mental health outcomes for individuals or a further reduction in the number of individuals willing to do volunteer work. However, the successful management of high role demands, and other psychosocial hazards, may assist with volunteer recruitment and retention.⁴⁴ For example, a study of aged care volunteers found that providing ongoing training and support and setting clear role expectations (two simple strategies) can help with volunteer recruitment and retention.⁴⁵ It is important then, especially to regional communities, that volunteer involving organisations are given clear training, resources, and instruction around how to identify and manage psychosocial hazards.

The provision of training, resources and instruction is particularly problematic for volunteer involving organisations in regional areas. Municipalities in regional areas, such as Kentish Council and West Coast Council in Tasmania, have a shortage of allied health professionals and primary healthcare.⁴⁶ This is consistent with other regional areas in Australia.⁴⁷ Regional areas also struggle to attract mental health practitioners to the community.⁴⁸ The absence of essential mental health services, coupled with a lack of appropriate digital infrastructure and low digital literacy puts regional community members at risk of experiencing psychological distress and adverse mental health

39 *ibid*

40 Morrow-Howell, Hong & Tang, 2009; Tang, Choi, & Morrow-Howell, 2010

41 Davies, Holmes & Lockstone-Binney, 2018; WorkSafe Victoria, 2021

42 Biddle & Gray, 2021

43 Davies, Holmes & Lockstone-Binney 2018; WorkSafe Victoria, 2021

44 Woolford, Joyce & Polacsek, 2022

45 Woolford, Joyce & Polacsek, 2022

46 Premier’s Economic and Social Recovery Advisory Council, 2021

47 Davies, Holmes & Lockstone-Binney, 2018

48 Premier’s Economic and Social Recovery Advisory Council, 2021

outcomes.⁴⁹ Local government areas (LGAs), in Tasmania, have an important role in delivering mental health services to the community, however, they need additional resources and support to help facilitate this.⁵⁰ Identifying the importance of volunteer roles in regional communities needs to be raised at a national level to ensure the support that goes to LGAs includes what is necessary to help support volunteer involving organisations.

Policy & Practice Implications

Considering the above insights, it is recommended that the following policy and practice recommendations are acted upon.

1. Volunteer involving organisations require support in psychosocial hazard identification and management

Although the Model WH&S laws do not apply to ‘volunteer associations’, there needs to be increased oversight regarding the level of competence that these organisations have around psychological health and safety and how to identify and manage psychosocial hazards. The existing guidance documentation, from Safe Work Australia, needs to be more widely disseminated to volunteer involving organisations to ensure awareness. Guidance on implementing strategies for psychosocial hazard identification and management also need to be developed.

2. Volunteer involving organisations within regional communities need to be provided with support tailored to their unique challenges

Regional councils need to be redesigned to provide better support and resources for assisting volunteer involving organisations. Local councils are the most appropriate and trusted touch point for volunteer involving organisations, in regional areas, and should be given the support needed to connect volunteer involving organisations with information and training on psychological health and safety and psychosocial hazard identification and management. A potential option may be to allocate some funds from the Financial Assistance Grant⁵¹ to Local Government to help facilitate the council redesign. The funds could be used to support the creation of additional community development officers in regional councils who can provide psychological health and safety support to volunteering organisations.

49 Davies, Holmes & Lockstone-Binney, 2018; Premier’s Economic and Social Recovery Advisory Council, 2021

50 Premier’s Economic and Social Recovery Advisory Council, 2021

51 <https://www.infrastructure.gov.au/territories-regions-cities/local-government/financial-assistance-grant-local-government>

Future Research Opportunities

Psychosocial hazards in volunteering roles

Research is needed to identify the most common psychosocial hazards present in a range of different volunteering roles and the effective ways these can be managed. This research needs to identify whether poorly managed psychosocial hazards negatively influence positive mental health outcomes and the strategies that can be utilised to stop these deleterious effects.

Psychosocial working conditions and latent benefits

Given the latent benefits that volunteering can provide to unemployed and retired, research is needed to identify the optimal psychosocial working conditions that are required for these benefits to manifest. Research methods that can control for other variables will be desirable.

Mental health outcomes in volunteer involving organisations

Research needs to be conducted on the difference between mental health outcomes in volunteer involving organisations (with paid staff and 'volunteer associations'). Furthermore, nearly all research focuses on formal volunteering (i.e. that takes place within an organisation) and needs to be expanded to include informal volunteering (i.e. that takes place informally in the community, outside of an organisational context). Investigating the mental health outcomes within all volunteer involving organisations, including volunteer associations, supported by well-resourced urban councils and under-resourced regional councils, is also encouraged.

References

- Australian Institute of Health and Welfare 2021. *Volunteers*. Australian Institute of Health and Welfare, viewed on 06 June 2022, <https://www.aihw.gov.au/reports/australias-welfare/volunteers>
- Biddle, N. & Gray, M. 2021. *Volunteering during the first year of the COVID-19 pandemic*. Canberra: Centre for Social Research and Methods, Australian National University.
- Borgonovi, F. 2008. Doing well by doing good. The relationship between formal volunteering and self-reported health and happiness. *Soc Sci Med*, 66, 2321-34.
- Bradley, D. 2000. A Reason To Rise Each Morning: The Meaning of Volunteering in the Lives of Older Adults. *Generations*, 23.
- Brown, KM., Hoye, R. & Nicholson, M. 2012. Self-Esteem, Self-Efficacy, and Social Connectedness as Mediators of the Relationship Between Volunteering and Well-Being. *Journal of Social Service Research*, 38, 468-483.
- Butterworth, P., Leach, LS., McManus, S. & Stansfeld, SA. 2013. Common mental disorders, unemployment and psychosocial job quality: is a poor job better than no job at all? *Psychological Medicine*, 43, 1763-1772.
- Chan, W., Chui, CHK., Cheung, JCS., Lum, TYS. & Lu, S. 2021. Associations between Volunteering and Mental Health during COVID-19 among Chinese Older Adults. *Journal of Gerontological Social Work*, 64, 599-612.
- Choi, N. & Kim, J. 2011. The Effect of Time Volunteering and Charitable Donations in Later Life on Psychological Wellbeing. *Ageing and Society*, 31, 590-610.
- Davies, A., Holmes, K. & Lockstone-Binney, L. 2018. Why rural Australia is facing a volunteer crisis. *The Conversation*, viewed 06 June 2022, <https://theconversation.com/why-rural-australia-is-facing-a-volunteer-crisis-95937>
- Government of Western Australia 2022. *Code of Practice: Psychosocial hazards in the workplace*. Viewed 06 June 2022, <https://www.commerce.wa.gov.au/worksafe/mentally-healthy-workplaces-codes-practice>
- Greenfield, EA. & Marks, NF. 2004. Formal volunteering as a protective factor for older adults' psychological well-being. *J Gerontol B Psychol Sci Soc Sci*, 59, S258-64.
- Jahoda, M. 1981. Work, employment, and unemployment: Values, theories, and approaches in social research. *American Psychologist*, 36, 184-191.
- Jenkinson, CE., Dickens, AP., Jones, K., Thompson-Coon, J., Taylor, RS., Rogers, M., Bambra, CL., Lang, I. & Richards, SH. 2013. Is volunteering a public health intervention? A systematic review and meta-analysis of the health and survival of volunteers. *BMC Public Health*, 13, 773.

- Kamerade, D. & Bennett, MR. 2018. Rewarding Work: Cross-National Differences in Benefits, Volunteering During Unemployment, Well-Being and Mental Health. *Work, Employment and Society*, 32, 38-56.
- Keyes, CLM. 1998. Social well-being. *Social Psychology Quarterly*, 61, 121-140.
- Lewig, KA., Xanthopoulou, D., Bakker, AB., Dollard, MF. & METZER, JC. 2007. Burnout and connectedness among Australian volunteers: A test of the job demands-resources model. *Journal of Vocational Behavior*, 71, 429-445.
- Lum, TY. & Lightfoot, E. 2005. The Effects of Volunteering on the Physical and Mental Health of Older People. *Research on Aging*, 27, 31-55.
- Magnani, E. & Zhu, R. 2018. Does kindness lead to happiness? Voluntary activities and subjective well-being. *Journal of Behavioral and Experimental Economics*, 77.
- Moen, P., Dempster-McClain, D. & Williams, RM. 1992. Successful aging: A life-course perspective on women's multiple roles and health. *American Journal of Sociology*, 97, 1612-1638.
- Morrow-Howell, N. 2010. Volunteering in later life: research frontiers. *J Gerontol B Psychol Sci Soc Sci*, 65, 461-9.
- Morrow-Howell, N., Hong, SI. & Tang, F. 2009. Who benefits from volunteering? Variations in perceived benefits. *Gerontologist*, 49, 91-102.
- Musick, MA. & Wilson, J. 2003. Volunteering and depression: the role of psychological and social resources in different age groups. *Social Science & Medicine*, 56, 259-269.
- Nazroo, J. & Matthews, K. 2012. The impact of volunteering on well-being in later life. *Cardiff: WRVS*.
- Pavlova, MK. & Silvereisen, RK. 2012. Participation in voluntary organizations and volunteer work as a compensation for the absence of work or partnership? Evidence from two German samples of younger and older adults. *J Gerontol B Psychol Sci Soc Sci*, 67, 514-24.
- Piliavin, JA. & Siegl, E. 2015. Health and well-being consequences of formal volunteering. *The Oxford handbook of prosocial behavior*. New York, NY, US: Oxford University Press.
- Premier's Economic and Social Recovery Advisory Council 2021. *Premier's Economic & Social Recovery Advisory Council Final Report*, viewed on 06 June 2022, <https://www.pesrac.tas.gov.au/reports>
- Russell, A., Nyame-Mensah, A., De Wit, A. & Handy, F. 2018. Volunteering and Wellbeing Among Ageing Adults: A Longitudinal Analysis. *VOLUNTAS: International Journal of Voluntary and Nonprofit Organizations*, 30.
- Safe Work Australia 2018. *Work-related psychological health and safety: A systematic approach to meeting your duties*. SafeWork Australia, viewed 06 June 2022, <https://www.safeworkaustralia.gov.au/doc/work-related-psychological-health-and-safety-systematic-approach-meeting-your-duties-archived>

Safe Work Australia 2020a. *The essential guide to work health and safety for organisations that engage volunteers*. SafeWork Australia, viewed 06 June 2022, <https://www.safeworkaustralia.gov.au/doc/essential-guide-work-health-and-safety-organisations-engage-volunteers>

Safe Work Australia 2020b. *The essential guide to work health and safety for volunteers 2021*. SafeWork Australia, viewed 06 June 2022, <https://www.safeworkaustralia.gov.au/doc/essential-guide-work-health-and-safety-volunteers>

Siegrist, J. & Wahrendorf, M. 2009. Participation in socially productive activities and quality of life in early old age: Findings from SHARE. *Journal of European Social Policy - J EUR SOC POLICY*, 19, 317-326.

Tabassum, F., Mohan, J. & Smith, P. 2016. Association of volunteering with mental well-being: a lifecourse analysis of a national population-based longitudinal study in the UK. *BMJ Open*, 6, e011327.

Tang, F., Choi, E. & Morrow-Howell, N. 2010. Organizational support and volunteering benefits for older adults. *Gerontologist*, 50, 603-12.

Thoits, PA. & Hewitt, LN. 2001. Volunteer work and well-being. *Journal of Health and Social Behavior*, 42, 115-131.

Van Willigen, M. 2000. Differential Benefits of Volunteering Across the Life Course. *The Journals of Gerontology: Series B*, 55, S308-S318.

Vic Government 2022. *Glossary of key terms*. Vic Government, Viewed 06 June 2022, <https://www.vic.gov.au/victorian-volunteer-strategy-2022-2027/glossary-key-terms#volunteer-involving-organisations-vios>

Von Bonsdorff, MB. & Rantanen, T. 2011. Benefits of formal voluntary work among older people. A review. *Aging Clin Exp Res*, 23, 162-9.

Woolford, M., Joyce, C. & Polacsek, M. 2022. Strategies to optimize aged care volunteer recruitment and retention: A systematic review. *Journal of Gerontological Social Work*, 65, 45-62.

WorkSafe Victoria 2021. *Psychosocial hazards contributing to work-related stress*. WorkSafe Victoria, Viewed 06 June 2022, <https://www.worksafe.vic.gov.au/psychosocial-hazards-contributing-work-related-stress>

Yang, J. & Matz, C. 2022. A Latent Deprivation Perspective: Mechanisms Linking Volunteering to Mental Health in Later Life. *The International Journal of Aging and Human Development*, 95, 110-130.

Yeung, JWK., Zhang, Z. & Kim, TY. 2017. Volunteering and health benefits in general adults: cumulative effects and forms. *BMC Public Health*, 18, 8.